


RECOMMENDED FOR HOUSEHOLD AND COMMERCIAL / INDUSTRIAL USE IN NON-FOOD AREAS OF INDUSTRIAL AND INSTITUTIONAL BUILDINGS, HOMES, SCHOOLS, WAREHOUSES, OFFICE BUILDINGS, THEATERS, GARAGES, HOTELS, MOTELS.



PROTECTS FOR UP TO 4 WEEKS

PROVIDES QUICK KILLING ACTION AND RESIDUAL CONTROL

A BROAD SPECTRUM INSECTICIDE HIGHLY EFFECTIVE AGAINST ANTS, BEES, CARPENTER ANTS, CARPET BEETLES, CENTIPEDES, COCKROACHES, CRICKETS, FLEAS, GRAIN BEETLES, MILLIPEDES, MOTHS, SCORPIONS, SILVERFISH, SPIDERS, TICKS AND MANY OTHER CRAWLING INSECTS.

Net Wt. 14 OZ. (396 Grams)



KILLS HIDDEN BUGS

ACTIVE INGREDIENTS:
 Tetramethrin 0.150%
 Permethrin 0.375%
 Piperonyl Butoxide Technical 0.750%
 *INERT INGREDIENTS 98.725%
 TOTAL 100.000%

*Contains Petroleum Distillates.

KEEP OUT OF REACH OF CHILDREN

CAUTION: CONTENTS UNDER PRESSURE
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NO UNPLEASANT ODOR

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Remove protective cap, hold container upright and direct spray away from face. Press valve down and spray as directed. Spray surface until slightly wet (at a rate of 4 ounces product to treat approximately 25 square feet of surface area. Do not use in rooms / areas while occupied by patients, the elderly or infirm. Do not apply to classrooms when in use. Do not use in commercial food / feed areas of food / feed handling establishments, restaurants or other areas where food / feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. Not for use in Federally Inspected Meat and Poultry Plants. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

NON-FOOD AREAS:

May be used as a crack and crevice treatment or as a spot application in non-food areas. All areas where insects hide or through which insects may enter should be treated. Non-food areas are areas such as garbage rooms, lavatories, floor drains (to sewers), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

INDOORS:

COCKROACHES, ANTS, CENTIPEDES, CRICKETS, FLEAS, PALMETTO BUGS, SILVERFISH, TICKS AND WATERBUGS: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible.

ANTS: Spray freely around ant trails, doors and windows and other places where ants enter premises. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray freely on and around debris.

SPIDERS: Apply along and behind baseboards, to window and doorframes, corners, pipes, storage localities, attics, crawl spaces and other areas over which these insects may crawl. If infestation reappears, repeat treatment but not more than once a week and no more than twelve times per year.

OUTDOORS

ANTS, COCKROACHES, CRICKETS, CENTIPEDES: Spray infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel Ants. Spray ant hills for best control.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: For control of building infestation due to Ants, Clover Mites, Crickets, Earwigs, Millipedes and (pillbugs). Spray foundation of building where insects are active and may find entrance up to a height of 2 to 3 feet. Apply as a residual spray to outside surfaces of buildings where insects tend to congregate. Spray areas include (but are not limited to) screens, window frames, eaves, porches, patios, garages and refuse dumps.

If infestation reappears repeat treatment but not more than once a week and no more than twelve times per year.

STORAGE and DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Do not store near heat or open flame. Store in cool dry area away from children. Container **DISPOSAL:** If empty: Do not puncture or incinerate. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.



EPA EST. NO. 7405-FL-1
EPA REG. NO. 7405-75-48295

TERAND INDUSTRIES, INC.
 P.O. Box 667770
 Pompano Beach, FL 33066
 www.terandstore.com

PRECAUTIONARY STATEMENTS

Hazards To Humans And Domestic Animals

CAUTION - Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Prolonged or frequent repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly after handling. Remove and wash clothing before reuse. Avoid contamination of food and feed.
PHYSICAL OR CHEMICAL HAZARDS - Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting.
ENVIRONMENTAL HAZARDS - This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

FIRST AID

If inhaled: • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth if possible. • Call a poison control center or doctor for further treatment advice.
If on skin or clothing: • Take off contaminated clothing. • Rinse immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes: • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for further treatment advice.
If swallowed: • Call a poison control center or doctor immediately for treatment advice. Move person to fresh air. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
 Have the product container or label with you when calling a poison control center or doctor, or going for treatment.