

**NSF**

Nonfood Compounds  
Program Listed K2  
138015

A high purity, high dielectric, rapidly evaporating, non-flammable aerosol spray, contact and circuit board cleaner. Specially formulated for removing oil, grease, condensation, dust and other particulate matter from sensitive electronic parts. Quick drying formula will not harm most plastics, paints or rubbers.

This solvent system has tested safe on: Neoprene, Buna, Silicone, Butyl and Natural Rubber, Nylon, Hypalon®, PTFE, PVC, Polyurethane, Polystyrene, Styrene, Polyethylene, Polypropylene, Epoxy and ABS.

**NOTE:** If there is any doubt as to the material construction this product is to be used on, test on a small hidden surface prior to general use.

Not recommended for use on Acrylic or Stressed Polycarbonate materials. Pre-testing is strongly suggested. Zero residue formula is also excellent for cleaning and degreasing metal parts and fittings.

**USE ON:** Circuit boards, wire terminals, relays, switches, contacts, circuit breakers, tuners, potentiometers, cable ends and receptacles, control panels, motors and other electronic and electrical equipment.

**DIRECTIONS:**

Spray directly onto surface, holding can close to work. For hard to reach areas, insert extension tube into actuator orifice. Allow components to dry completely before applying current.



**MADE IN THE U.S.A.**

**CAUTION:** Contains 3,3-Dichloro-1,1,1,2,2-pentafluoropropane (422-56-0), 1,1,1,2-Tetrafluoroethane (811-97-2), and 1,3-Dichloro-1,1,2,2,3-pentafluoropropane (507-55-1). Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F. Chemical contact with flames or extremely hot surfaces may lead to the formation of dangerous decomposition products.

**FIRST AID: IF EYE CONTACT:** In case of contact, immediately flush with large amounts of lukewarm water for at least 15 minutes while holding upper and lower lids open. Get medical attention. **IF SKIN CONTACT:** In case of contact, immediately flush skin with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Treat for frostbite if necessary by gently warming affected area. If irritation persists, get medical attention. **EXCESSIVE INHALATION:** Immediately remove to fresh air. If not breathing, give artificial respiration. Get medical attention. **IF INGESTED:** Ingestion is not likely to occur. If it does, do not induce vomiting. Get medical attention.

For further information consult Material Safety Data Sheet.

**KEEP OUT OF REACH OF CHILDREN**



<b>HMSIS RATING:</b>	<b>HEALTH</b>	<b>1</b>
	<b>FLAMMABILITY</b>	<b>1</b>
	<b>REACTIVITY</b>	<b>0</b>
	<b>PERSONAL PROTECTION</b>	<b>B</b>

**TERAND INDUSTRIES, INC.**

P.O. Box 667770  
Pompano Beach, FL 33066  
www.terandstore.com

**TERAND**  
The Maintenance Professional's Choice



**CONTACT CLEANER**  
**NON-FLAMMABLE**  
80310

- Non-Flammable
- Safe on most Plastics
- Dries Fast
- Zero Residue
- Non-Corrosive
- 30,000 Volt Dielectric Strength
- EPA Snap Approved
- VOC Exempt

**CAUTION:**  
CONTENTS UNDER PRESSURE.  
SEE OTHER CAUTIONS ON BACK PANEL.  
NET WT. 10 OZ. (283 Grams)