

**SUITABLE FOR USE IN MEAT & POULTRY PLANTS
AND FOOD & FOOD SERVICE ESTABLISHMENTS**

A transparent coolant and lubricant designed for portable and field operations. Useful on many surfaces including Carbon Steel, Stainless Steel, Aluminum, Bronze, Titanium, Chrome-Moly and Vanadium Steel, Nitralloy Steel, Inconel, Monel, Phosphor, Beryllium-Copper and other exotic alloys. This product cools work pieces, causing less heat distortion and tool burning, thereby increasing production and lengthening tool life.

USE FOR: Machining, Punching, Sawing, Milling, Grinding, Cutting, Tapping and Threading.

DIRECTIONS:

Generously spray area to be worked. Re-apply as necessary to keep area cool and well lubricated. Can be removed with water or Solvent Degreaser.



**MADE IN THE
U.S.A.**

DANGER: Contains Ethyl Alcohol (64-17-5), Liquefied Petroleum Gas (68476-86-8), Polyalkylene Glycol Monobutyl Ether (9038-95-3) and Amine containing Alcohol (Trade Secret). Do not use near heat or open flame. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F.

FIRST AID: IF EYE CONTACT:

Flush with large amounts of cool running water for at least 15 minutes while holding upper and lower lids open. If irritation persists seek medical attention.

IF SKIN CONTACT: Wash with soap and water. If irritation persists seek medical attention.

EXCESSIVE INHALATION: Remove to fresh air. Seek medical attention immediately. If breathing stops give artificial respiration. **IF INGESTED:** Do not induce vomiting. Seek medical attention immediately.

For further
information consult
Material Safety Data Sheet.

**KEEP OUT OF REACH
OF CHILDREN**



HMS RATINGS:	HEALTH	1
	FLAMMABILITY	3
	REACTIVITY	0
	PERSONAL PROTECTION	B

**TERAND
INDUSTRIES, INC.**

P.O. Box 667770
Pompano Beach, FL 33066
www.terandstore.com

TERAND
The Maintenance Professional's Choice



**CUTTING and
TAPPING
FLUID**

87512

Prolongs Tool Life

Cools and Lubricates Work Piece
and Tool

Easily Applied and Removed

Transparent for Easy Visibility

Non-Chlorinated

DANGER: EXTREMELY FLAMMABLE.
CONTENTS UNDER PRESSURE.
SEE OTHER CAUTIONS ON BACK PANEL.

NET WT. 12 OZ. (340 Grams)