



Nonfood Compounds
Program Listed H1
138581

(H1) FOR USE IN AND AROUND
FOOD PROCESSING AREAS

**THIS PRODUCT IS ACCEPTABLE AS A LUBRICANT WITH
INCIDENTAL FOOD CONTACT FOR USE IN AND AROUND
FOOD PROCESSING AREAS**

A ultra polymer structured White Food Grease with outstanding load carrying ability and superior high temperature resistance. Protects against rust, oxidation and wear and resists water and steam washout.

Excellent Adhesion • Resists Throw-Off

Wide Operating Temperature Range (0°F to +450°F)

MANY INDUSTRIAL PLANT USES: Bakeries, bottlers, breweries, canneries, dairies, edible chemical manufacturing, egg processors, meat and poultry processors.

DIRECTIONS: Spray a thin film on surface to be lubricated. For pinpoint application, insert extension tube into actuator.



MADE IN THE
U.S.A.

DANGER: Contains Liquefied Petroleum Gas (68476-85-7) and Zinc Oxide (1314-13-2). Do not use near heat, sparks or open flame. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F.

For further information
consult Material Safety
Data Sheet.

**KEEP OUT OF REACH
OF CHILDREN**

HMIS RATING:	HEALTH	0
	FLAMMABILITY	1
	REACTIVITY	0
	PERSONAL PROTECTION	B



FIRST AID: IF EYE CONTACT: Flush with large amounts of cool running water for at least 15 minutes while holding upper and lower lids open. If irritation persists get medical attention immediately.
IF SKIN CONTACT: Wash with soap and water. If irritation persists seek medical attention.
EXCESSIVE INHALATION: Remove to fresh air. Seek medical attention immediately. If breathing stops give artificial respiration. **IF INGESTED:** Do not induce vomiting. Seek medical attention immediately.

**TERAND
INDUSTRIES, INC.**

P.O. Box 667770
Pompano Beach, FL 33066
www.terandstore.com

TERAND
The Maintenance Professional's Choice



**FOOD GRADE
GREASE**
98910

Water Resistant

Operating Temperature Range
From 0°F to +450°F

Excellent Adhesion

Resists Throw Off

DANGER: EXTREMELY FLAMMABLE.
CONTENTS UNDER PRESSURE.
SEE OTHER CAUTIONS ON BACK PANEL.

NET WT. 10 OZ. (283 Grams)