

Xiom Materials Coverage Chart

* Customer pays actual shipping charges on order.

**Material cost values, subject to price changes.

*** Deposit efficiency on test lab 98%. Calculated at 90% on chart to compensate for outside spraying conditions.

COATING NAME	X205 Series
SPECIFIC GRAVITY	1.15
DEPOSIT EFFICIENCY	90%

Coverage SqFt/lb/.001"	Spray Rate lbs/hr	Recommended Thickness in Thousandths	Coverage SqFt/lb/0.005"	Hourly Coverage SqFt/hr/0.005"	Material Cost \$/lb	Material Cost \$/SqFt/0.005"
150	7	5	30	211	\$29.40	\$0.98

COATING NAME	X145
SPECIFIC GRAVITY	3.00
DEPOSIT EFFICIENCY	90%

Coverage SqFt/lb/.001"	Spray Rate lbs/hr	Recommended Thickness in Thousandths	Coverage SqFt/lb/0.006"	Hourly Coverage SqFt/hr/0.006"	Material Cost \$/lb	Material Cost \$/SqFt/0.006"
58	7	6	10	67	\$34.73	\$3.61

COATING NAME	Recommended X512 BI/Wh/Gr
SPECIFIC GRAVITY	0.96
DEPOSIT EFFICIENCY	90%

Coverage SqFt/lb/.001"	Spray Rate lbs/hr	Recommended Thickness in Thousandths	Coverage SqFt/lb/0.005"	Hourly Coverage SqFt/hr/0.005"	Material Cost \$/lb	Material Cost \$/SqFt/0.005"
180	7	5	36	252	\$24.60	\$0.68

COATING NAME	X512 Colors
SPECIFIC GRAVITY	0.96
DEPOSIT EFFICIENCY	90%

Coverage SqFt/lb/.001"	Spray Rate lbs/hr	Recommended Thickness in Thousandths	Coverage SqFt/lb/0.005"	Hourly Coverage SqFt/hr/0.005"	Material Cost \$/lb	Material Cost \$/SqFt/0.005"
180	7	5	36	252	\$25.86	\$0.72

Approximate values, subject to price verification and recommended tickness adjustment Several Variables must be considered!!!

COATING NAME	X525
SPECIFIC GRAVITY	0.98
DEPOSIT EFFICIENCY	90%

Coverage SqFt/lb/.001"	Spray Rate lbs/hr	Recommended Thickness in Thousandths	Coverage SqFt/lb/0.005"	Hourly Coverage SqFt/hr/0.005"	Material Cost \$/lb	Material Cost \$/SqFt/0.005"
178	7	5	36	249	\$26.45	\$0.75

COATING NAME	X530
SPECIFIC GRAVITY	2.35
DEPOSIT EFFICIENCY	90%

Coverage SqFt/lb/.001"	Spray Rate lbs/hr	Recommended Thickness in Thousandths	Coverage SqFt/lb/0.007"	Hourly Coverage SqFt/hr/0.007"	Material Cost \$/lb	Material Cost \$/SqFt/0.007"
74	7	7	11	74	\$27.80	\$2.64

COATING NAME	X490
SPECIFIC GRAVITY	2.38
DEPOSIT EFFICIENCY	90%

Coverage SqFt/lb/.001"	Spray Rate lbs/hr	Recommended Thickness in Thousandths	Coverage SqFt/lb/0.02"	Hourly Coverage SqFt/hr/0.02"	Material Cost \$/lb	Material Cost \$/SqFt/0.02"
73	7	20	4	26	\$68.75	\$18.87

COATING NAME	X600 BI/Wh
SPECIFIC GRAVITY	1.18
DEPOSIT EFFICIENCY	90%

Coverage SqFt/lb/.001"	Spray Rate lbs/hr	Recommended Thickness in Thousandths	Coverage SqFt/lb/0"	Hourly Coverage SqFt/hr/0.003"	Material Cost \$/lb	Material Cost \$/SqFt/0.003"
147	7	3	49	342	\$24.30	\$0.50

Approximate values, subject to price verification and recommended tickness adjustment Several Variables must be considered!!!

COATING NAME	X600 Colors
SPECIFIC GRAVITY	1.18
DEPOSIT EFFICIENCY	90%

Coverage SqFt/lb/.001"	Spray Rate lbs/hr	Recommended Thickness in Thousandths	Coverage SqFt/lb/0.003"	Hourly Coverage SqFt/hr/0.003"	Material Cost \$/lb	Material Cost \$/SqFt/0.003"
147	7	3	49	342	\$27.65	\$0.57

COATING NAME	X700-03-12
SPECIFIC GRAVITY	1.42
DEPOSIT EFFICIENCY	90%

Coverage SqFt/lb/.001"	Spray Rate lbs/hr	Recommended Thickness in Thousandths	Coverage SqFt/lb/0.005"	Hourly Coverage SqFt/hr/0.005"	Material Cost \$/lb	Material Cost \$/SqFt/0.005"
122	7	5	24	171	\$26.80	\$1.10

COATING NAME	X707
SPECIFIC GRAVITY	1.43
DEPOSIT EFFICIENCY	90%

Coverage SqFt/lb/.001"	Spray Rate lbs/hr	Recommended Thickness in Thousandths	Coverage SqFt/lb/0.003"	Hourly Coverage SqFt/hr/0.003"	Material Cost \$/lb	Material Cost \$/SqFt/0.003"
121	7	3	40	282	\$26.20	\$0.65

COATING NAME	X765
SPECIFIC GRAVITY	2.90
DEPOSIT EFFICIENCY	90%

Coverage SqFt/lb/.001"	Spray Rate lbs/hr	Recommended Thickness in Thousandths	Coverage SqFt/lb/0.004"	Hourly Coverage SqFt/hr/0.004"	Material Cost \$/lb	Material Cost \$/SqFt/0.004"
60	7	4	15	104	\$26.45	\$1.77

Approximate values, subject to price verification and recommended tickness adjustment Several Variables must be considered!!!